

Draft

Massachusetts 2020 Air Monitoring Network Plan

August 7, 2020



Massachusetts Department of Environmental Protection

Bureau of Air and Waste
Division of Air and Climate Programs
Air Assessment Branch
Wall Experiment Station
Lawrence, Massachusetts

This is the draft 2020 Massachusetts Air Monitoring Network Plan prepared by the Massachusetts Department of Environmental Protection (MassDEP) in accordance with Title 40 CFR Part 58.10. Each year, MassDEP is required to submit a Network Plan to the U.S. Environmental Protection Agency (EPA) for review and approval.

MassDEP operates a network of 22 ambient air quality monitoring stations in 18 communities located across the state. The Wampanoag Tribe of Gay Head (Aquinnah) operates an ozone monitoring station on Martha's Vineyard. MassDEP and the Wampanoag Tribe are members of the same Primary Quality Assurance Organization (PQAO), which ensures consistent quality assurance of ambient air quality data collected in Massachusetts.

The Massachusetts monitoring network is part of a comprehensive program to collect and provide information about air quality to the public and to determine compliance with National Ambient Air Quality Standards (NAAQS). This draft Network Plan reviews MassDEP's ambient air monitoring network to demonstrate that the requirements of 40 CFR Part 58 Appendices A, C, D and E are met, describes which pollutants and other parameters MassDEP measures at its various ambient air monitoring stations, and discusses recent and planned changes to the network. For detailed information on monitor locations, pollutants analyzed, and methods used, see Attachments 1 – 3.

MassDEP will accept public comments on this draft Network Plan until September 10, 2020. Comments should be sent via email or mail to:

Sean Dunn
MassDEP Air Assessment Branch
Senator William X. Wall Experiment Station
37 Shattuck Street
Lawrence, MA 01843-1398
978-242-1335
Sean.M.Dunn@mass.gov

Contents

1. Criteria Pollutants.....	6
1.1 Ozone (O ₃)	7
1.2 Sulfur Dioxide (SO ₂)	9
1.3 Nitrogen Dioxide (NO ₂)	10
1.4 Carbon Monoxide	11
1.5 Particulate Matter (PM)	13
PM ₁₀	13
PM _{2.5}	14
Speciated PM _{2.5}	16
PM _{coarse}	16
1.6 Lead	16
2. Photochemical Assessment Monitoring Stations.....	16
3. Total Reactive Nitrogen (NO _y).....	17
4. Air Toxics	17
5. Summary of Recent and Proposed Network Changes.....	18

Figures

Figure 1 - 2020 Air Monitoring Network	5
Figure 2 - Ozone Monitoring Network	8
Figure 3 - Sulfur Dioxide Monitoring Network	9
Figure 4 - Nitrogen Dioxide Monitoring Network.....	11
Figure 5 - Carbon Monoxide Monitoring Network.....	12
Figure 6 - PM ₁₀ Monitoring Network.....	13
Figure 7 - PM _{2.5} Monitoring Network	15

List of Abbreviations

(3 day).....	Every 3rd day
(6 day).....	Every 6th day
AAB.....	Air Assessment Branch
BAM.....	Beta Attenuation Monitor
BC.....	Black Carbon
BP.....	Barometric Pressure
CAA.....	Clean Air Act
CBSA.....	Core Based Statistical Area
CFR.....	Code of Federal Regulations
CO.....	Carbon Monoxide
CO ₂	Carbon Dioxide
FEM.....	Federal Equivalent Method
FRM.....	Federal Reference Method
EPA.....	United States Environmental Protection Agency
IMPROVE.....	Interagency Monitoring of Protected Visual Environments
MassDEP.....	Massachusetts Department of Environmental Protection
MET.....	Meteorological Parameters
MSA.....	Metropolitan Statistical Area
NAAQS.....	National Ambient Air Quality Standards (for criteria pollutants)
NATTS.....	National Air Toxics Trends Station
NCore.....	National Core Monitoring Network
NO.....	Nitric Oxide
NO _x	Nitrogen Oxides
NO _y	Total Reactive Oxidized Nitrogen
NO ₂	Nitrogen Dioxide
NO ₂ C.....	Nitrogen Dioxide Caps direct absorption
NO ₃	Nitrate
O ₃	Ozone
OTR.....	Ozone Transport Region
PAH.....	Polycyclic Aromatic Hydrocarbon
PAMS.....	Photochemical Assessment Monitoring Stations
Pb.....	Lead
pH.....	Concentration of hydrogen cations (H ⁺) in solution (an indicator of acidity)
ppb.....	parts per billion by volume
ppm.....	parts per million by volume
PM _{2.5}	Particulate matter ≤ 2.5 microns aerodynamic diameter
PM ₁₀	Particulate matter ≤ 10 microns aerodynamic diameter
RH.....	Relative Humidity
SO ₂	Sulfur Dioxide
SO ₄	Sulfate
SR.....	Solar Radiation
SVOC.....	Semi-Volatile Organic Compounds
TEMP.....	Temperature
TSA.....	Technical Systems Audit
TSP.....	Total Suspended Particulates
µg/m ³	micrograms per cubic meter
VOCs.....	Volatile Organic Compounds
WS/WD.....	Wind Speed/Wind Direction
WSv/WDv.....	Wind Speed/Wind Direction Vector




Figure 1 - 2020 Air Monitoring Network

1. Criteria Pollutants

This section describes MassDEP's network for monitoring criteria pollutants listed in the federal Clean Air Act for which EPA has set National Ambient Air Quality Standards (NAAQS), including ozone, sulfur dioxide, nitrogen dioxide, carbon monoxide, particulate matter (PM₁₀ and PM_{2.5}) and lead. EPA periodically reviews and revises these standards based on new public health and scientific information. These revisions often require changes to air monitoring networks and methodologies.

National Ambient Air Quality Standards					
Pollutant		Primary/ Secondary	Averaging Time	Level	Form
Carbon Monoxide		primary	8-hour	9 ppm	Not to be exceeded more than once per year
			1-hour	35 ppm	
Lead		primary and secondary	Rolling 3 month average	0.15 µg/m ³	Not to be exceeded
Nitrogen Dioxide		primary	1-hour	100 ppb	98th percentile of 1-hr daily maximum concentrations, averaged over 3 years
		primary and secondary	Annual	53 ppb	Annual Mean
Ozone		primary and secondary	8-hour	0.070 ppm	Annual fourth-highest daily maximum 8-hr concentration, averaged over 3 years
Particle Pollution	PM _{2.5}	primary	Annual	12 µg/m ³	annual mean, averaged over 3 years
		secondary	Annual	15 µg/m ³	annual mean, averaged over 3 years
		primary and secondary	24-hour	35 µg/m ³	98th percentile, averaged over 3 years
	PM ₁₀	primary and secondary	24-hour	150 µg/m ³	Not to be exceeded more than once per year on average over 3 years
Sulfur Dioxide		primary	1-hour	75 ppb	99th percentile of 1-hr daily maximum concentrations, averaged over 3 years
		secondary	3-hour	0.5 ppm	Not to be exceeded more than once per year

µg/m³ = micrograms per cubic meter

ppm = parts per million

ppb = parts per billion

1.1 Ozone (O₃)

MassDEP operates 16 ozone monitoring stations at the locations listed below. The Wampanoag Tribe of Gay Head (Aquinnah) on Martha's Vineyard operates one additional ozone monitor in Aquinnah. The existing ozone monitoring network meets EPA monitoring requirements for the ozone NAAQS. MassDEP has established a temporary monitoring station in Weymouth and will include an ozone monitor once a permanent station is established.

Ozone (O ₃)			
ID Number	City / Town	Location	CBSA
25-025-0042	Boston - Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-023-0005	Brockton	Buckley Playground	Boston-Cambridge-Newton MSA
25-017-0009	North Chelmsford	EPA Laboratory	Boston-Cambridge-Newton MSA
25-017-0010	Chelmsford	Manning Road	Boston-Cambridge-Newton MSA
25-013-0008	Chicopee	Westover AFB	Springfield MSA
25-005-1006	Fairhaven	Hastings School	Providence-Warwick MSA
25-005-1004	Fall River	Globe Street	Providence-Warwick MSA
25-011-2005	Greenfield	Veterans Field	Springfield MSA
25-009-5005	Haverhill	Consentino School	Boston-Cambridge-Newton MSA
25-009-2006	Lynn	Parkland Avenue	Boston-Cambridge-Newton MSA
25-021-3003	Milton	Blue Hill Summit	Boston-Cambridge-Newton MSA
25-003-0008	Pittsfield	Silver Lake Drive	Pittsfield MSA
25-001-0002	Truro	Fox Bottom Area	Barnstable MSA
25-027-0024	Uxbridge	East Hartford Avenue	Worcester MSA
25-015-4002	Ware	Quabbin Summit	Springfield MSA
25-027-0015	Worcester	Worcester Airport	Worcester MSA
25-007-0001	<i>Aquinnah</i>	<i>Wampanoag Tribe</i>	<i>Vineyard Haven MiSA</i>

CBSA = Core Based Statistical Area

MSA = Metropolitan Statistical Area

MiSA = Micropolitan Statistical Area

Note that the ozone monitor MassDEP operates at the Chelmsford Near Road site (25-017-0010) on Manning Road is for informational purposes and is not used to demonstrate compliance with the ozone NAAQS because it does not meet siting criteria regarding distance from roadways in 40 CFR Part 58 Appendix E.




Figure 2 - Ozone Monitoring Network

1.2 Sulfur Dioxide (SO₂)

MassDEP operates six trace-level (i.e., very low concentration) sulfur dioxide (SO₂) monitors at the locations listed below. The existing SO₂ monitoring network meets EPA monitoring requirements for the SO₂ NAAQS. MassDEP is not planning changes to the existing SO₂ monitoring network in 2020.

Sulfur Dioxide (SO ₂)			
ID Number	City /Town	Location	CBSA
25-025-0002	Boston - Kenmore	Kenmore Square	Boston-Cambridge-Newton MSA
25-025-0042	Boston - Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-005-1004	Fall River	Globe Street	Providence-Warwick MSA
25-013-0018	Springfield	Liberty Street	Springfield MSA
25-015-4002	Ware	Quabbin Summit	Springfield MSA
25-027-0023	Worcester	Summer Street	Worcester MSA

CBSA = Core Based Statistical Area

MSA = Metropolitan Statistical Area




Figure 3 - Sulfur Dioxide Monitoring Network

1.3 Nitrogen Dioxide (NO₂)

MassDEP operates 11 nitrogen dioxide (NO₂) monitors at the locations listed below. The existing NO₂ monitoring network meets EPA monitoring requirements for the NO₂ NAAQS. NO₂ monitors measure NO₂ and nitrogen oxides (NO_x), which is NO₂ plus nitric oxide (NO). NO₂ is monitored for NO₂ NAAQS compliance and as an ozone precursor. MassDEP operates nine NO₂ monitors to determine compliance with the NAAQS, including the near-road monitors in Boston (Von Hillern Street) and Chelmsford. The Lynn site includes one direct absorption NO₂ unit, which is operated to measure NO₂ as an ozone precursor. EPA has designated three monitors (Boston – Roxbury, Boston – Kenmore, and Springfield) as representing susceptible and vulnerable populations. MassDEP plans to add an NO₂ monitor in Weymouth once a permanent monitoring station is established.

Nitrogen Dioxide (NO ₂)			
ID Number	City / Town	Location	CBSA
25-025-0002	Boston - Kenmore	Kenmore Square	Boston-Cambridge-Newton MSA
25-025-0042	Boston - Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-025-0044	Boston - Von Hillern	Von Hillern Street	Boston-Cambridge-Newton MSA
25-017-0010	Chelmsford	Manning Road	Boston-Cambridge-Newton MSA
25-013-0008	Chicopee	Westover AFB	Springfield MSA
25-009-2006	Lynn	Parkland Avenue	Boston-Cambridge-Newton MSA
25-021-3003	Milton	Blue Hill	Boston-Cambridge-Newton MSA
25-013-0018	Springfield	Liberty Street	Springfield MSA
25-015-4002	Ware	Quabbin Summit	Springfield MSA
25-027-0023	Worcester	Summer Street	Worcester MSA

CBSA = Core Based Statistical Area

MSA = Metropolitan Statistical Area




Figure 4 - Nitrogen Dioxide Monitoring Network

1.4 Carbon Monoxide

MassDEP operates three trace-level carbon monoxide (CO) monitors at the locations listed below. The existing CO monitoring network meets EPA monitoring requirements for the CO NAAQS. As proposed in the 2019 Network Plan and approved by EPA, MassDEP discontinued CO monitoring at Springfield (25-013-0018) on January 1, 2020. This was in accordance with MassDEP's Second 10-Year Limited Maintenance Plan for Carbon Monoxide for the Boston Metropolitan Area, Lowell, Springfield, Waltham, and Worcester. In this Limited Maintenance Plan MassDEP proposed to discontinue CO monitoring in Springfield because the concentrations measured for many years at all locations are very low and well below the NAAQS. MassDEP is not planning changes to the existing CO monitoring network in 2020.

Carbon Monoxide (CO)			
ID Number	City / Town	Location	CBSA
25-025-0042	Boston - Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-025-0044	Boston - Von Hillern	Von Hillern Street	Boston-Cambridge-Newton MSA
25-027-0023	Worcester	Summer Street	Worcester MSA

CBSA = Core Based Statistical Area

MSA = Metropolitan Statistical Area




Figure 5 - Carbon Monoxide Monitoring Network

1.5 Particulate Matter (PM)

PM₁₀

MassDEP operates four PM₁₀ monitors (low volume instruments) at the locations listed below, including collocated monitors at the Boston - Roxbury NCore site for quality assurance purposes. The existing PM₁₀ monitoring network meets EPA monitoring requirements for the PM₁₀ NAAQS. PM_{coarse} concentrations are calculated using data from PM₁₀ monitors and PM_{2.5} monitors at the Boston – Roxbury site, which is an NCore requirement. These samples are also used for PM₁₀-based metals monitoring, which is a National Air Toxics Trends Sites (NATTS) requirement. MassDEP is not planning changes to the existing PM₁₀ monitoring network in 2020.

PM ₁₀ (Low Volume)			
ID Number	City / Town	Location	CBSA
25-025-0042 ¹	Boston - Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-015-4002	Ware	Quabbin Summit	Springfield MSA
25-027-0023 ²	Worcester	Summer Street	Worcester MSA

¹ Two monitors (Collocated)

² MassDEP also operates a continuous atmospheric radiation sampler (TSP-based) at Worcester - Summer Street (25-027-0023) in cooperation with the EPA's National Air and Radiation Environmental Laboratory (RadNet).




Figure 6 - PM₁₀ Monitoring Network

PM_{2.5}

Continuous Monitors: MassDEP operates 16 continuous fine particulate matter (PM_{2.5}) monitors at the locations listed below, including collocated monitors at Boston – Von Hillern (25-025-0044) for quality assurance purposes. The existing PM_{2.5} monitoring network meets EPA monitoring requirements for the PM_{2.5} NAAQS. All of MassDEP’s continuous PM_{2.5} monitors have a Federal Equivalent Method (FEM) designation and are designated as primary monitors for determining compliance with the PM_{2.5} NAAQS. Continuous monitors provide the hourly PM_{2.5} data that appears on MassDEP’s MassAir website. In February 2020 MassDEP began continuous PM_{2.5} monitoring in Weymouth (25-021-2004). In June 2020, MassDEP installed a continuous PM_{2.5} monitor at Boston – Kenmore (25-025-0002) and designated it as the primary monitor (the site also has a filter-based monitor). MassDEP plans to establish a continuous PM_{2.5} monitoring station in the Boston downtown / Chinatown area, which is an Environmental Justice area, and is evaluating opportunities to enhance PM_{2.5} monitoring in additional Environmental Justice areas.

Continuous PM _{2.5} Monitors			
ID Number	City / Town	Location	CBSA
25-025-0042	Boston – Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-025-0044 ¹	Boston - Von Hillern	Von Hillern Street	Boston-Cambridge-Newton MSA
25-023-0005	Brockton	Buckley Playground	Boston-Cambridge-Newton MSA
25-017-0010	Chelmsford	Manning Road	Boston-Cambridge-Newton MSA
25-013-0008	Chicopee	Westover AFB	Springfield MSA
25-005-1004	Fall River	Globe Street	Providence-Warwick MSA
25-011-2005	Greenfield	Veterans Field	Springfield MSA
25-009-5005	Haverhill	Consentino School	Boston-Cambridge-Newton MSA
25-009-2006	Lynn	Parkland Avenue	Boston-Cambridge-Newton MSA
25-003-6001	North Adams	Holden Street	Pittsfield MSA
25-003-0008	Pittsfield	Silver Lake Drive	Pittsfield MSA
25-013-0018	Springfield	Liberty Street	Springfield MSA
25-015-4002	Ware	Quabbin Summit	Springfield MSA
25-021-2004	Weymouth	6 Bridge Street	Boston-Cambridge-Newton MSA
25-027-0023	Worcester – Summer	Summer Street	Worcester MSA

¹ Two monitors (Collocated)

CBSA = Core Based Statistical Area

MSA = Metropolitan Statistical Area

Filter-Based Monitors: MassDEP operates 11 PM_{2.5} Federal Reference Method (FRM) monitors at the locations listed below, including collocated monitors at Chicopee (25-013-0008) for quality assurance purposes. Upon approval of this Network Plan, MassDEP plans to discontinue filter-based monitors at Brockton (25-023-0005), Haverhill (25-009-5005) and Worcester – Summer Street (25-027-0023), and rely on the primary continuous PM_{2.5} monitors at each of these sites. MassDEP also plans to discontinue the two collocated filter-based monitors at Chicopee (25-013-0008) and rely on the continuous monitor at this site. These collocated filter-based monitors are no longer required by EPA, since with the addition of the continuous monitor at Boston-Kenmore noted above, all primary monitors in the network now are continuous monitors, with no filter-based monitors as designated as primary.

Filter-Based PM _{2.5} (FRM)			
ID Number	City / Town	Location	CBSA
25-025-0002	Boston - Kenmore	Kenmore Square	Boston-Cambridge-Newton MSA
25-025-0042	Boston - Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-025-0044	Boston - Von Hillern	Von Hillern Street	Boston-Cambridge-Newton MSA
25-023-0005	Brockton	Buckley Playground	Boston-Cambridge-Newton MSA
25-013-0008 ¹	Chicopee	Westover AFB	Springfield MSA
25-011-2005	Greenfield	Veterans Field	Springfield MSA
25-009-5005	Haverhill	Consentino School	Boston-Cambridge-Newton MSA
25-003-0008	Pittsfield	Silver Lake Drive	Pittsfield MSA
25-013-0018	Springfield	Liberty Street	Springfield MSA
25-027-0023	Worcester - Summer	Summer Street	Worcester MSA

¹ Two monitors (collocated)

CBSA = Core Based Statistical Area

MSA = Metropolitan Statistical Area




Figure 7 - PM_{2.5} Monitoring Network

Speciated PM_{2.5}

MassDEP collects speciated PM_{2.5} samples at Boston – Roxbury (25-025-0042) and Chicopee (25-013-0008). The speciated PM_{2.5} program is designed to determine some of the chemical components (elements, sulfates, nitrates, carbon species) that are contained in PM_{2.5}.

IMPROVE sampling sites also provide speciated PM_{2.5} data. The IMPROVE program measures parameters that are similar to those measured by the speciation program and is designed to measure species at rural locations to evaluate the contribution of fine particulates and their constituents to the degradation of visibility. The National Park Service operates an IMPROVE sampler at Truro – National Sea Shore (25-001-0002) and the Wampanoag Tribe on Martha’s Vineyard also operates an IMPROVE sampler at Aquinnah (25-007-0001).

Speciated PM _{2.5}			
ID Number	City / Town	Location	CBSA
25-025-0042	Boston - Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-013-0008	Chicopee	Westover AFB	Springfield MSA
25-001-0002	Truro	Fox Bottom Area	Barnstable MSA
25-007-0001	Aquinnah	Wampanoag Tribe	Vineyard Haven MiSA

CBSA = Core Based Statistical Area
 MSA = Metropolitan Statistical Area
 MiSA = Micropolitan Statistical Area

PM_{coarse}

MassDEP uses FRM for PM_{coarse} in compliance with NCore requirements at the Boston – Roxbury (25-025-0042) NCore site. This method consists of the subtraction of PM_{2.5} values from PM₁₀ values at a site that has side-by-side samplers of each type sampling on the same dates.

1.6 Lead

MassDEP monitors lead at the Boston – Harrison Avenue NCore (25-025-0042) site using a low-volume PM₁₀ method. While EPA allows states to discontinue lead monitoring at NCore sites that show concentrations below the NAAQS, MassDEP plans to continue lead monitoring at the Boston – Roxbury NCore site for non-NAAQS purposes under the National Air Toxics Trends Site (NATTS) program.

2. Photochemical Assessment Monitoring Stations

MassDEP operates an enhanced ozone Photochemical Assessment Monitoring Stations (PAMS) in Lynn (25-009-2006). PAMS are designed to measure ozone precursors and meteorological parameters in order to provide data about ozone formation and the effect of precursor controls on ozone production. At the Lynn site MassDEP monitors nitrogen oxides and volatile organic compounds (VOCs), including carbonyl compounds (formaldehyde, acetaldehyde). These are measured by taking discrete 24-hour samples and by operating an hourly gas chromatograph. In January 2020, MassDEP installed a NO_y analyzer at the Lynn site. MassDEP also plans to install a ceilometer through EPA’s national contract.

3. Total Reactive Nitrogen (NOy)

MassDEP operates NOy analyzers at Ware (25-015-4002) and at the NCore site at Boston – Roxbury (25-025-0042) to meet NCore requirements. In January 2020, MassDEP installed a NOy analyzer at Lynn (25-009-2006) to meet PAMS requirements.

Total Reactive Nitrogen (NOy)			
ID Number	City / Town	Location	CBSA
25-025-0042	Boston - Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-009-2006	Lynn	Parkland Avenue	Boston-Cambridge-Newton MSA
25-015-4002	Ware	Quabbin Summit	Springfield MSA

CBSA = Core Based Statistical Area

MSA = Metropolitan Statistical Area

4. Air Toxics

Boston – Roxbury (25-025-0042) is a National Air Toxics Trend Station (NATTS), in addition to serving as an NCore site. NATTS is an EPA program comprised of monitoring stations across the country equipped to measure a wide range of toxic air pollutants, including metals, VOCs, carbonyls, black carbon and semi-volatile organic compounds (SVOCs). At the Boston – Roxbury site, MassDEP monitors black carbon, VOCs, carbonyls (formaldehyde and acetaldehyde), toxic metals (from PM₁₀ filters), and polycyclic aromatic hydrocarbons (PAHs).

MassDEP also collects 24-hour VOC canister samples and 24-hour carbonyl cartridge samples every sixth day at the Lynn site (25-009-2006), which serves as a Boston Area background location. Beginning in February 2020, MassDEP began collecting 24-hour VOC canister samples and 24-hour carbonyl cartridge samples every sixth day at the temporary Weymouth monitoring station (25-021-2004). All VOC samples are sent to the Rhode Island Department of Health (RIDOH) Laboratory for analysis. All carbonyl samples are analyzed by MassDEP's Division of Environmental Analysis.

Volatile Organic Compounds (VOCs)			
ID Number	City / Town	Location	CBSA
25-025-0042	Boston - Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-009-2006	Lynn	Parkland Avenue	Boston-Cambridge-Newton MSA
25-021-2004	Weymouth	6 Bridge Street	Boston-Cambridge-Newton MSA

CBSA = Core Based Statistical Area

MSA = Metropolitan Statistical Area

MassDEP monitors black carbon at the following locations:

Black Carbon			
ID Number	City / Town	Location	CBSA
25-025-0042	Boston - Roxbury	Harrison Avenue	Boston-Cambridge-Newton MSA
25-025-0044	Boston - Von Hillern	Von Hillern Street	Boston-Cambridge-Newton MSA
25-017-0010	Chelmsford	Manning Road	Boston-Cambridge-Newton MSA
25-011-2005	Greenfield	Veterans Field	Springfield MSA
25-003-6001	North Adams	Holden Street	Pittsfield MSA
25-003-0008	Pittsfield	Silver Lake Drive	Pittsfield MSA
25-013-0018	Springfield	Liberty Street	Springfield MSA

CBSA = Core Based Statistical Area

MSA = Metropolitan Statistical Area

5. Summary of Recent and Proposed Network Changes

MassDEP made the following recent changes to the monitoring network:

- In January 2020, MassDEP discontinued CO monitoring at the Springfield monitoring station (25-013-0018).
- In January 2020, MassDEP established a NO_y analyzer at Lynn (25-009-2006) to meet PAMS requirements.
- In February 2020, MassDEP established a temporary monitoring station in Weymouth (25-021-2004) and is working to site a permanent monitoring station. The temporary station monitors PM_{2.5} and VOCs.
- In June 2020, MassDEP added a continuous PM_{2.5} monitor at the Kenmore Square monitoring station.

MassDEP plans to make the following changes to the monitoring network:

- MassDEP plans to add ozone (O₃) and nitrogen dioxide (NO₂) monitors in Weymouth (25-021-2004) once a permanent station is established.
- Upon EPA approval of this Network Plan, MassDEP plans to discontinue filter-based PM_{2.5} monitors at Brockton (25-023-0005), Haverhill (25-009-5005), Worcester – Summer Street (25-027-0023), and collocated monitors at Chicopee (25-013-0008). MassDEP will continue to operate continuous PM_{2.5} monitors at these sites.
- MassDEP plans to establish a PM_{2.5} monitoring station in the Boston downtown / Chinatown area, which is an Environmental Justice area, and is evaluating opportunities to enhance PM_{2.5} monitoring in additional Environmental Justice areas.

Attachment 1

Monitoring Site Descriptions

This section provides descriptions of each monitoring site in the Massachusetts air monitoring network, including location, monitored parameters, monitoring objectives, and descriptive information.

Boston – Kenmore Square (25-025-0002)	
Address:	Kenmore Square, 590 Commonwealth Ave, Boston
Latitude/Longitude:	42.34894, -71.097708
Parameters:	SO ₂ , NO ₂ , NO, NO _x , PM _{2.5} filter (3 day)
Year Established:	1965 for population exposure
CBSA:	Boston-Cambridge-Newton MSA

The Kenmore Square site was established in 1965 and provides a long historical record of air pollution trends in Boston. It is located in a commercial and residential area. The site includes continuous SO₂ and NO₂ monitors. Particulate measurements include PM_{2.5}.



Boston – Harrison Avenue (25-025-0042)	
Address:	1159 Harrison Avenue, Boston
Latitude/Longitude:	42.3295, -71.082619
Parameters:	O ₃ , SO ₂ , NO ₂ , NO, NO _x , NO _y , CO, PM _{2.5} , PM _{2.5} filter (3 day), PM ₁₀ filter (3 day), speciated PM _{2.5} , black carbon, toxics, carbonyls (6 day), VOCs (6 day), MET
Year Established:	1998 for population exposure
CBSA:	Boston-Cambridge-Newton MSA

The Harrison Avenue site was established in 1998 to provide population exposure monitoring, and in 2011 it became the state's NCore location. It is located in a commercial and residential area. NCore is a multi-pollutant network that integrates several advanced measurement systems for particles, pollutant gases and meteorology. The site includes continuous O₃, SO₂, NO₂ and CO monitors. Particulate measurements include PM_{2.5}, PM₁₀, speciated PM_{2.5}, and black carbon. Toxics sampling is also conducted at this site in association with the NATTS program. NATTS parameters include VOCs, carbonyls, metals and PAHs.



Boston – Von Hillern (25-025-0044)	
Address:	19 Von Hillern Street, Boston
Latitude/Longitude:	42.32519, -71.0561
Parameters:	NO ₂ , NO, NO _x , CO, PM _{2.5} , PM _{2.5} filter (6 day), black carbon, MET
Year Established:	2013 for near-road monitoring
CBSA:	Boston-Cambridge-Newton MSA

The Von Hillern site was established in 2013 as the first near-road sampling location in MassDEP's network, and is sited to measure peak hourly NO₂ concentrations that are expected to occur in the near-road environment. This site is located in a commercial area, adjacent to a heavily traveled urban highway. The site includes continuous NO₂ and CO monitors. Particulate measurements include PM_{2.5} and black carbon.



Brockton (25-023-0005)	
Address:	Gilmore School, 170 Clinton St., Brockton
Latitude/Longitude:	42.065131, -71.12667
Parameters:	O ₃ , PM _{2.5} , PM _{2.5} filter (6 day)
Year Established:	2013 for population exposure
CBSA:	Boston-Cambridge-Newton MSA

The Brockton site was established in 2013. The site provides population exposure monitoring. It is located in a commercial and residential area, adjacent to a playground. The site includes a continuous O₃ monitoring. Particulate measurements include PM_{2.5}.



North Chelmsford (25-017-0009)	
Address:	EPA NERL, 11 Technology Drive, Chelmsford
Latitude/Longitude:	42.626925, -71.362128
Parameters:	O ₃
Year Established:	2012 for population exposure
CBSA:	Boston-Cambridge-Newton MSA

The North Chelmsford site was established in 2005 by EPA and was added to the MassDEP network in 2012. The site provides population exposure monitoring. It is located in a mixed commercial and residential area, inside the EPA Northeast Regional Laboratory (NERL). The site includes a continuous O₃ monitor.



Chelmsford – Manning Road (25-017-0010)	
Address:	5 Manning Road, Chelmsford
Latitude/Longitude:	42.612156, -71.307255
Parameters:	NO ₂ , NO, NO _x , PM _{2.5} , O ₃ , black carbon
Year Established:	2018 for near-road monitoring
CBSA:	Boston-Cambridge-Newton MSA

The Chelmsford Manning Road site was established in June 2018 as the second near-road sampling location in MassDEP's network. Sited to measure peak hourly NO₂ concentrations that are expected to occur in the near-road environment. This site is located in a residential area, adjacent to a heavily traveled urban highway. The site includes continuous NO₂ and O₃ monitors. Particulate measurements include PM_{2.5} and black carbon.



Chicopee (25-013-0008)	
Address:	Anderson Road, Chicopee (Westover AFB)
Latitude/Longitude:	42.194444, -72.555628
Parameters:	O ₃ , NO ₂ , NO, NO _x , PM _{2.5} , PM _{2.5} filter (3 day), speciated PM _{2.5} , MET
Year Established:	1983 for population exposure
CBSA:	Springfield MSA

The Chicopee site was established in 1983 to provide population exposure monitoring. It is located at the Westover Air Reserve Base. The site includes continuous O₃ and NO₂ monitors. Particulate measurements include PM_{2.5} and speciated PM_{2.5}.



Fairhaven (25-005-1006)	
Address:	Hastings Middle School, 30 School Street, Fairhaven
Latitude/Longitude:	41.645403, -70.898402
Parameters:	O ₃ , MET
Year Established:	2013 for population exposure and ozone transport monitoring
CBSA:	Providence-Warwick MSA

The Fairhaven site was established in 2013 as a replacement for a previous site at the Wood School in Fairhaven. The site provides population exposure and ozone transport monitoring. It is located in a mixed commercial and residential area, adjacent to a school. The site includes a continuous O₃ monitor.



Fall River (25-005-1004)	
Address:	659 Globe Street, Fall River
Latitude/Longitude:	41.685728, -71.169764
Parameters:	O ₃ , SO ₂ , PM _{2.5}
Year Established:	1975 for population exposure monitoring
CBSA:	Providence-Warwick MSA

The Fall River site was established in 1975 to provide population exposure monitoring. It is located at a fire department station, in a mixed commercial and residential area, adjacent to a recreational park. The site includes continuous O₃ and SO₂ monitors. Particulate measurements include PM_{2.5}.



Greenfield (25-011-2005)	
Address:	16 Barr Avenue, Greenfield
Latitude/Longitude:	42.605832, -72.596647
Parameters:	O ₃ , PM _{2.5} , PM _{2.5} filter (3 day), black carbon, MET
Year Established:	2014 for population exposure monitoring
CBSA:	Springfield MSA

The Greenfield site was established in 2014 to provide population exposure monitoring. It is located in a residential area, adjacent to a school. The site includes a continuous O₃ monitor. Particulate measurements include PM_{2.5} and black carbon.



Haverhill (25-009-5005)	
Address:	Consentino School, 685 Washington Street, Haverhill
Latitude/Longitude:	42.770867, -71.102831
Parameters:	O ₃ , PM _{2.5} , PM _{2.5} filter (6 day), MET
Year Established:	1994 for population exposure monitoring
CBSA:	Boston-Cambridge-Newton MSA

The Haverhill site was established in 1994 to provide population exposure monitoring. It is located in a residential area, adjacent to a school. The site includes a continuous O₃ monitor. Particulate measurements include PM_{2.5}.



Lynn (25-009-2006)	
Address:	390 Parkland Avenue, Lynn
Latitude/Longitude:	42.474671, -70.971358
Parameters:	O ₃ , NO ₂ , NO _y , PM _{2.5} , VOCs (6 day), carbonyls (6 day), MET
Year Established:	1983 for population exposure
CBSA:	Boston-Cambridge-Newton MSA

The Lynn site was established in 1992 as a PAMS station as well as for population exposure monitoring. It is located in a residential area, adjacent to a public water supply. The site includes continuous O₃, NO₂, and CO monitors. Particulate measurements include PM_{2.5}. NO₂ is measured directly with a Cavity Attenuated Phase Shift (CAPS) analyzer which does not rely on conversion of NO₂ to another species and therefore does not record NO or NO_x values. Year round 24-hour PAMS VOC and carbonyls (6 day) are also included.



Blue Hill (25-021-3003)	
Address:	Blue Hill Observatory, 1904 Canton Ave, Milton
Latitude/Longitude:	42.2118, -71.114506
Parameters:	O ₃ , NO, NO ₂ , NO _x , MET
Year Established:	2002
CBSA:	Boston-Cambridge-Newton MSA

The Blue Hill site was established in 2002 and provides population exposure monitoring. It is located on a hilltop next to a weather observatory. The site includes continuous O₃ and NO₂ monitors.



North Adams (25-003-6001)	
Address:	86 Holden Street, North Adams
Latitude/Longitude:	42.702191, -73.110485
Parameters:	PM _{2.5} , black carbon
Year Established:	2017 for population exposure monitoring
CBSA:	Springfield MSA

The North Adams site was established in 2017 to monitor the effects of wood smoke in a valley environment. It is located in a mixed residential and commercial area. Particulate measurements include PM_{2.5} and black carbon.



Pittsfield (25-003-0008)	
Address:	25 Silver Lake Drive
Latitude/Longitude:	42.453035, -73.238776
Parameters:	O ₃ , PM _{2.5} , black carbon, MET
Year Established:	2018 for population exposure
CBSA:	Pittsfield MSA

The Pittsfield site was established in August 2018 to provide population exposure monitoring. It is located in a mixed commercial and residential area. The site includes a continuous O₃ monitor. Particulate measurements include PM_{2.5} and black carbon.



Springfield (25-013-0018)	
Address:	600 Liberty Street
Latitude/Longitude:	42.120163, -72.585146
Parameters:	SO ₂ , NO, NO ₂ , NO _x , PM _{2.5} , PM _{2.5} filter (6 day), black carbon
Year Established:	2018 for population exposure
CBSA:	Springfield MSA

The Springfield site was established in May 2018 as a replacement for a previous site at 165 Liberty Street in Springfield. The site provides population exposure monitoring. It is located in a mixed commercial and residential area. The site includes continuous SO₂, and NO₂ monitors. Particulate measurements include PM_{2.5} and black carbon.



Truro (25-001-0002)	
Address:	6 Collins Road, Truro (Fox Bottom Area)
Latitude/Longitude:	41.975833, -70.024167
Parameters:	O ₃ , speciated PM _{2.5} , MET
Year Established:	1987 for population exposure and ozone transport monitoring
CBSA:	Barnstable MSA

The Truro site was established in 1987 to provide population exposure and ozone transport monitoring. It is located in a rural area adjacent to conservation land. The site includes a continuous O₃ monitor. Particulate measurements include speciated PM_{2.5} via the IMPROVE program.



Uxbridge (25-027-0024)	
Address:	366 East Hartford Avenue, Uxbridge
Latitude/Longitude:	42.099722, -71.619917
Parameters:	O ₃ , MET
Year Established:	2008 for population exposure and ozone transport monitoring
CBSA:	Worcester MSA

The Uxbridge site was established in 2008 to provide population exposure and ozone transport monitoring. It is located in a residential area, adjacent to a park. The site includes a continuous O₃ monitor.



Ware (25-015-4002)	
Address:	36 Skyline Drive, Ware (Quabbin Summit)
Latitude/Longitude:	42.298514, -72.334575
Parameters:	O ₃ , SO ₂ , NO, NO ₂ , NO _x , NO _y , PM _{2.5} , PM ₁₀ (6 day), MET
Year Established:	1985 for population exposure
CBSA:	Springfield MSA

The Ware site was established in 1985. It provides population exposure and is located in a rural area adjacent to the Quabbin reservoir. The site includes continuous O₃, SO₂, NO₂, NO_y monitors. Particulate measurements include PM_{2.5} and PM₁₀.



Weymouth (25-021-2004)	
Address:	6 Bridge Street
Latitude/Longitude:	42.245865, -70.962766
Parameters:	PM _{2.5} , VOCs (6 day), carbonyls (6 day)
Year Established:	2020
CBSA:	Boston-Cambridge-Newton MSA

The Weymouth site was established in 2020 as a temporary monitoring station until a permanent station is established. It is located in an industrial area next to a sewage pumping station and near a natural gas compressor station construction site. The site currently measures continuous PM_{2.5}, VOCs (6 day), and carbonyls (6 day).



Worcester – Airport (25-027-0015)	
Address:	375 Airport Drive, Worcester
Latitude/Longitude:	42.274342, -71.876022
Parameters:	O ₃ , MET
Year Established:	1979 for population exposure monitoring
CBSA:	Worcester MSA

The Worcester – Airport site was established in 1979 to provide population exposure monitoring. It is located in a commercial area, adjacent to an airport. The site includes a continuous O₃ monitor.



Worcester – Summer Street (25-027-0023)	
Address:	Summer Street, Worcester
Latitude/Longitude:	42.263978, -71.794836
Parameters:	SO ₂ , NO, NO ₂ , NO _x , CO, PM _{2.5} , PM _{2.5} filter (6 day), PM ₁₀ filter (6 day), RadNet
Year Established:	2004 for population exposure monitoring
CBSA:	Worcester MSA

The Worcester – Summer Street site was established in 2004 as a replacement for a previous site in downtown Worcester and provides population exposure monitoring. It is located in an urban commercial and residential area, adjacent to several major roadways. The site includes continuous SO₂ and NO₂ monitors. Particulate measurements include PM_{2.5} and PM₁₀. The site also includes a continuous atmospheric radiation sampler (RadNet).

